IRIS | Highbay



Iris is a remarkable advancement in the world of industrial lighting, breaking free from the era of indistinguishable UFO highbays. By harnessing cutting-edge aluminum die-casting and advanced optical lens technology, Iris delivers a long-sought solution in industrial lighting—achieving high lumen output, exceptional efficiency, uniform light distribution, and minimal glare—all in one sleek, high-performance fixture.

Technical Details

Power : 100W | 120W | 150W | 200W

CCT : 3000K | 4000K | 5000K | 5700K

CRI : >80

Beam Angle : 120°

Lumen Output : 160lm/W

Input Voltage : AC 100-240V

Material : Die Cast Aluminium


Finishing Color : White | Black


Reflector : Polycarbonate

Size : Ø400 x H122mm

IP Rating : IP65

Accessories : Sensor





Light Distribution



Light Performance



Order Options


Model Code	Power	Lumens	CCT	CRI	Beam	Finish	Size	Accessories
HB-Iris-SH08	100W 120W 150W 200W	160lm	3000K 4000K 5000K 5700K	>80	120°	White Black	Ø400 x H122mm	Sensor

HEBE | Highbay





Hebe is an elegantly looking linear bay light fixture. A clever structural design by combining 3 extruded aluminum profiles in the way of jigsaw to form 3 isolated chambers, that renders excellent heat management, efficient space utilization, cost efficient, and high structural strength.



Technical Details

Power : 100W | 120W | 150W | 200W

CCT : 3000K | 4000K | 5000K | 5700K

CRI : >80

Beam Angle : 120°

Lumen Output : 120lm/W

Input Voltage : AC 100-240V

Material : Die Cast Aluminium


Finishing Color : Silver

Reflector : Polycarbonate

Size : L560 x W270 x H65mm | L560 x W270 x H65mm
L620 x W270 x H65mm | L620 x W270 x H65mm
L700 x W270 x H65mm

IP Rating : IP40

Light Distribution



Light Performance





Order Options


Model Code	Power	Lumens	CCT	CRI	Beam	Finish	Size	Accessories
HB-Hebe-SH08	100W 120W 150W 200W	120lm	3000K 4000K 5000K 5700K	>80	120°	Silver	L560 x W270 x H65mm L560 x W270 x H65mm L620 x W270 x H65mm L620 x W270 x H65mm L700 x W270 x H65mm	

HERCULINA | Highbay





Herculina is a new generation high-power modular lighting system. Its innovative design allows for effortless assembly into various configurations, making it suitable for a wide range of applications.



Technical Details

Power : 160W | 240W | 320W | 480W

CCT : 3000K | 4000K | 5000K | 5700K

CRI : >80

Beam Angle : 150°

Lumen Output : 190lm/W

Input Voltage : AC 100-277V

Material : Die Cast Aluminium


Finishing Color : White | Black

Driver : DALI

Size : L553 x W500 x H104 | L553 x W500 x H104
L910 x W500 x H104 | L910 x W500 x H104

IP Rating : IP65

Light Distribution



Light Performance



Order Options

Model Code	Power	Lumens	CCT	CRI	Beam	Finish	Size	Accessories
HB-Herculina-SH08	160W 240W 320W 480W	190lm	3000K 4000K 5000K 5700K	>80	150°	White Black	L553 x W500 x H104 L553 x W500 x H104 L910 x W500 x H104 L910 x W500 x H104	

PALMA | Highbay





Palma is designed with the concept of "Modern Technology in a Classic Look." Its aesthetically refined appearance makes it a harmonious lighting solution that seamlessly integrates with various architectural styles. Ideal for spaces requiring high lumen output—such as shopping malls, canteens, churches, halls, office buildings, and showrooms - Palma combines timeless design with advanced performance.



Technical Details

Power : 80W | 120W

CCT : 3000K | 4000K | 5000K | 5700K

CRI : >80

Beam Angle : 90°

Lumen Output : 130lm/W

Input Voltage : AC 100-240V

Material : Die Cast Aluminium


Finishing Color : White | Black | Silver

Reflector : Polycarbonate

Size : Ø410 x H289mm

IP Rating : IP65

Light Distribution



Light Performance



Order Options


Model Code	Power	Lumens	CCT	CRI	Beam	Finish	Size	Accessories
HB-Palma-SH08	80W 120W	130lm	3000K 4000K 5000K 5700K	>80	90°	White Black Silver	Ø410 x H289mm	

EUNOMIA | Highbay



This canopy light has a slim and low profile design which provides safe and a visually appealing lighting experience. Quick mount structure for contractors to work safely and easily in the confined-space areas. It is a perfect solution to replace 150 metal halide lamp with a benefit of low maintenance cost.





Technical Details

Power : 88W | 118W

CCT : 5000K

CRI : >80

Beam Angle : 90°

Lumen Output : 120lm/W

Input Voltage : AC 100-277V

Material : Die Cast Aluminium

Finishing Color : Bronze

Reflector : Polycarbonate

Size : L355 x W355 x H150mm

IP Rating : IP65

Light Distribution



Light Performance

Order Options

Model Code	Power	Lumens	CCT	CRI	Beam	Finish	Size	Accessories
HB-Eunomia-GR17	88W 118W	120lm	5000K	>80	90°	Bronze	L355 x W355 x H150mm	